

CAP COOLER

The "Cap Cooler" machine is a unit especially designed for cooling the caps before they are discharged into the collecting box.

The extremely effective cooling action grants the caps a temperature only 3°C higher than the ambient temperature.

Cap Cooler produces a uniform cooling of the complete cap, thus granting regular shrinkage and constant quality of the products.

Ovalisation and deformation are therefore really reduced to minimum.

2 models are available: HF model is suitable for capacity higher than 65000 ÷ 70000 caps/hour.



Main features:

- All parts in contact with the caps in stainless steel
- Version with adjustable legs and/or wheels
- Version with H13 absolute filters
- Supporting structure with wheels in aluminium profiles, cover panels in galvanized steel sheet with polyester powder baked enamel
- Special version for extremely critical ambient conditions: temperature higher than 38°C

Advantages:


- Easy to install
- Low energy consumption
- Suitable for different cap sizes
- Easy to adjust to different outputs

CAP COOLER

Technical Specifications:

| Model | | Cap Cooler CAP/SF | Cap Cooler CAP/HF |
|--------------------|--------|----------------------|----------------------|
| Fan Power | kW | 3 | 4 |
| Gearmotor Power | kW | 0,13 | 0,25 |
| Noise Level (*) | dB (A) | < 80 | < 80 |
| Colour | | White RAL 9010 | White RAL 9010 |
| Weight | Kg | 262 | 370 |
| Dimensions (L-W-H) | mm | 1257-757-1709 | 2000-757-1722 |
| Dimensions (A-B) | mm | 1091-797 | 1104-810 |
| Dimensions (L1) | mm | ~1083 | ~2550 |

Available Power Supply: 400V/50Hz 380V/60Hz 460V/60Hz



Options:

- Adjustable legs
- Cooling battery (right or left position. W= + 980mm)
- Electrical box cooler
- Absolute filters
- Absolute filters HF version

